



Ministry of Health & Family Welfare
Government of India

Certificate for COVID-19 Vaccination

Issued in India by Ministry of Health & Family Welfare, Govt. of India

Certificate ID 62276829591

Beneficiary Details

Beneficiary Name / பலனாளியின் பெயர்	Revathi
Age / வயது	37
Gender / பாலினம்	Female
ID Verified / அடையாளச் சான்று	Aadhaar # XXXXXXXX6180
Unique Health ID (UHID)	
Beneficiary Reference ID	31781326162170
Vaccination Status / தடுப்பூசி நிலை	Fully Vaccinated (2 Doses)

Vaccination Details

Vaccinated By / தடுப்பூசியை வழங்கியவர்	Poonkodi
Vaccination At / தடுப்பூசி வழங்கப்பட்ட இடம்	THAKKOLAM APHC COVAXIN, Ranipet, Tamil Nadu

Dose Number டோஸ் எண்	Date of Dose டோஸ் வழங்கப்பட்ட தேதி	Vaccine Name தடுப்பூசியின் பெயர்	Batch Number பேட்ச் எண்	Vaccine Type தடுப்பூசி வகை	Manufacturer உற்பத்தியாளர்
1/2	01 Mar 2022	COVAXIN	37C521040	COVID-19 vaccine, Inactivated virus	Bharat Biotech, India
2/2	31 Mar 2022	COVAXIN	37C521040	COVID-19 vaccine, Inactivated virus	Bharat Biotech, India



“மருந்து மற்றும்
மனவறுதியுடன்
Together, India will defeat
COVID-19”


- பிரதம மந்திரி நரேந்திர மோதி

In case of any adverse events, kindly contact the nearest Public Health Center/
Healthcare Worker/District Immunization Officer/State Helpline No. 1075

ஏதேனும் எதிர்மறை விளைவுகள் ஏற்பட்டால், தயவு செய்து அருகாமையிலுள்ள பொது
சுகாதார மையம் / ஆரோக்கியப் பராமரிப்புப் பணியாளர் / மாவட்ட தடுப்பூசி அலுவலர் /
மாநில உதவி எண் 1075ஐ தொடர்பு கொள்ளவும்.

COWIN

Winning Over COVID



DIAGNOSTIC REPORT



Patient Ref. No. 323000001136898



SRI
Diagnostic

CLIENT CODE : C000132666

MC-5320

CLIENT'S NAME AND ADDRESS :

URL ENTERPRISES
152/10, LOTUS COLONY, ANNA NAGAR EAST,
CHENNAI
CHENNAI 600102
TAMIL NADU INDIA
9940200487

SRL DIAGNOSTICS

Veda Ranghaa Nivas, No:22/97, Dr. Ambedkar Road, Ashok Nagar
Avenue
CHENNAI, 600083
TAMIL NADU, INDIA

PATIENT NAME : REVATHI THAKKALI

PATIENT ID : REVAF270585323

ACCESSION NO : **0323VK001985** AGE : 37 Years SEX : Female

ABHA NO :

DRAWN : 08/11/2022 10:00:00

RECEIVED : 08/11/2022 11:59:24

REPORTED : 08/11/2022 13:53:03

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

CLINICAL INFORMATION :

ICMR REG NO: SRLDGNANCH

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MOLECULAR BIOLOGY

SARS COV -2 REAL TIME PCR

SARS-COV-2 RNA

NEGATIVE

METHOD : REAL TIME RT PCR (OPEN SYSTEM)

Comments

SPECIMEN TYPE: NASOPHARYNGEAL & OROPHARYNGEAL SWAB

ORF1ab GENE: NOT DETECTED

N GENE: NOT DETECTED

ICMR SRF ID: 3356811773096

Interpretation(s)

SARS COV -2 REAL TIME PCR-SARS-CoV-2, formerly known as 2019-nCoV, is the causative agent of the coronavirus disease 2019 (COVID-19). Main symptoms of the disease include fever, cough and shortness of breath. The virus is spread via person-to-person contact through respiratory droplets produced when a person coughs or sneezes. The SARS-CoV-2 RNA is generally detectable in nasopharyngeal/oropharyngeal swabs during the acute phase of infection. Positive results are indicative of active infection. Real Time PCR assay targets specific genes and can be used for diagnosis of SARS-CoV-2 virus infection which contributes to severe upper respiratory distress and complications.

Positive result indicates that RNA from SARS-CoV-2 was detected in the specimen, and the patient is considered infected with the virus and presumed to be contagious. Negative test result for this test means that SARS-CoV-2 RNA was not detected in the specimen above the limit of detection of the assay.

Limitations:

- Negative results do not preclude COVID-19 and should not be used as the sole basis for patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information.
- Positive results do not rule out bacterial infection or co-infection with other viruses.
- Optimum specimen types and timing for peak viral levels during infections caused by 2019-nCoV have not been determined. Collection of multiple specimens (types and time points) from the same patient may be necessary to detect the virus.
- Follow-up testing may particularly be important if patient has a clinical picture of viral pneumonia, a potential exposure history, and/or radiographic findings (chest CT or MRI scan) consistent with COVID -19 pneumonia. However repeat testing in the near-term after clearance (within 90 days) should be avoided as prolonged shedding of non-viable virus is not uncommon.
- Ct values generated from different assay systems within the same laboratory, or from different laboratories, are not directly comparable and do not necessarily reflect the same viral load due to inter-assay and inter-laboratory variability.
- Variation in timing of sample collection, fluctuations in virus shedding, and difference between detection limit of different testing methods within same or different labs could lead to variation in results particularly during initial phase of infection.
- If the virus mutates in the rRT-PCR target region, 2019-nCoV may not be detected or may be detected less predictably. Inhibitors or other types of interference may produce a false negative result.
- The performance of this test has not been established for monitoring treatment of 2019-nCoV infection.

Note: Test is performed using ICMR approved Kit.

References:

1. Laboratory testing for coronavirus disease 2019 (COVID-19) in suspected human cases. Interim guidance. World Health Organization.
2. Druce et al. JCM. 2011
3. N. Engl. J. Med. 2020, 382, 929-936

****End Of Report****

Please visit www.srlworld.com for related Test Information for this accession



Scan to View Details



Scan to View Report

DIAGNOSTIC REPORT

Patient Ref. No. 323000001136898

**SRL**
Diagnostics

CLIENT CODE : C000132666

MC-5320

CLIENT'S NAME AND ADDRESS :URL ENTERPRISES
152/10, LOTUS COLONY, ANNA NAGAR EAST,
CHENNAI
CHENNAI 600102
TAMIL NADU INDIA
9940200487

SRL DIAGNOSTICS*

Veda Ranghaa Nivas, No:22/97, Dr. Ambedkar Road, Ashok Nagar, 4th
Avenue
CHENNAI, 600083
TAMIL NADU, INDIA**PATIENT NAME : REVATHI THAKKALI****PATIENT ID : REVAF270585323**ACCESSION NO : **0323VK001985** AGE : 37 Years SEX : Female

ABHA NO :

DRAWN : 08/11/2022 10:00:00

RECEIVED : 08/11/2022 11:59:24

REPORTED : 08/11/2022 13:53:03

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

CLINICAL INFORMATION :

ICMR REG NO: SRLDGNANCH

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

*S. Sathesh**Srinivas*Dr. S. Sathesh Kumar, PH.D
Consultant MicrobiologistDr. C.N. Srinivas
Vice President - Technical &
Head of HLA & TI**CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL LimitedFortis Hospital, Sector 62, Phase VIII,
Mohali 160062

Scan to View Details

Page 2 Of 2



Scan to View Report